




**8000/8075
IN STOCK
DEC 2024**

- Multi-directional mounting capability & 360° design. Use base down, base up or base sideways without affecting performance.
- Pretested & potted drivers are burnt in 3x prior to shipping and protected against vibration & moisture.
- Lamps dim to 50-70% by adjusting the wattage switch on the side of the lamp.
- Field adjustable light output.

SUPERFLEX SWITCH BETWEEN
3 WATTAGES & 3 CCTS



PART #	UPC	REPLACES	WATTAGE	VOLTAGE	LUMENS	CCT	BASE	DLC CODES
LED-8029E345-A-FW	84400606067	UP TO 150W	FLEXWATT 12W/18W/24W	120-277V	1550-3360	FLEXCOLOR 3000K/4000K/ 5000K	E26	N/A
LED-8029M345-A-FW	84400606068				EX39		PVPFGTKS	
LED-8024E345-G7-FW	844006060718	UP TO 320W	FLEXWATT 35W/45W/60W		5140-8870		E26	N/A
LED-8024M345-G7-FW	844006060725				EX39		PE8R4NVO	
LED-8027M345-G7-FW	844006060756	UP TO 400W	FLEXWATT 80W/100W/ 110W		11370-15730		EX39	PMXF5D5C
LED-8027M345-G7-FW-HV	844006077129			EX39			S-IESFDP	
LED-8075M345-FW	197810016526	UP TO 750W	FLEXWATT 150W/200W/ 270W	120-277V	21700-39000		EX39	S-5ZV7XV
LED-8075M345-FW-HV	197810016533			277-480V			EX39	S-NZM9KT
LED-8000M345-FW-MV	197810016540	UP TO 1000W	FLEXWATT 300W/360W/ 450W	208-347V	50100-73300		EX39	S-NTFFVQ
LED-8000M345-FW-HV	197810016557			277-480V			EX39	S-3DM41B



Available from Major Electronix | sales@majorelectronix.com | 800-966-2345 | www.productsforautomation.com

12.23.24 Information is subject to change without notice.



🇨🇦 347 VOLT OPTIONS FOR CANADA 🇨🇦

PART #	UPC	REPLACES	WATTAGE	LUMENS	FLEXCOLOR	BASE	DLC CODES
LED-8029E345C-A-FW	84400606069	70W-100W-150W	12W-18W-24W	1550-3360	3000K/4000K/ 5000K	E26	N/A
LED-8029M345C-A-FW	84400606070	70W-100W-150W	12W-18W-24W	1550-3360		EX39	P55Z8FTK
LED-8024E345C-G7-FW	844006060732	175W-250W-320W	35W-45W-60W	5140-8870		E26	N/A
LED-8024M345C-G7-FW	844006060749	175W-250W-320W	35W-45W-60W	5140-8870		EX39	P17WDCCW
LED-8027M345C-G7-FW	844006060763	320W-400W	80W-100W-110W	11370-15730		EX39	POIALL6T
LED-8000M345-FW-MV	197810016540	UP TO 1000W	300W-360W-450W	50100-73300		EX39	S-NTFFVQ

LUMENS

LED-8029

WATTAGE	CCT	LUMENS
12W	3000K	1550
12W	4000K	1610
12W	5000K	1650
18W	3000K	2450
18W	4000K	2560
18W	5000K	2610
24W	3000K	3170
24W	4000K	3330
24W	5000K	3360

LED-8024

WATTAGE	CCT	LUMENS
35W	3000K	5140
35W	4000K	5290
35W	5000K	5360
45W	3000K	6200
45W	4000K	6510
45W	5000K	6620
60W	3000K	8440
60W	4000K	8790
60W	5000K	8870

LED-8027

WATTAGE	CCT	LUMENS
80W	3000K	10780
80W	4000K	11290
80W	5000K	11370
100W	3000K	13800
100W	4000K	14270
100W	5000K	14350
110W	3000K	15080
110W	4000K	15690
110W	5000K	15730

LED-8075

WATTAGE	CCT	LUMENS
150W	3000K	21700
150W	4000K	22700
150W	5000K	22900
200W	3000K	29300
200W	4000K	30700
200W	5000K	30900
270W	3000K	36900
270W	4000K	38800
270W	5000K	39000

LED-8000

WATTAGE	CCT	LUMENS
300W	3000K	50100
300W	4000K	52200
300W	5000K	52400
360W	3000K	57800
360W	4000K	60100
360W	5000K	60300
450W	3000K	69700
450W	4000K	73100
450W	5000K	73300

